## The Corporation of the CITY OF WHITE ROCK BYLAW 2371



A Bylaw to amend the "White Rock Zoning Bylaw, 2012, No. 2000" as amended

The CITY COUNCIL of the Corporation of the City of White Rock, in open meeting assembled, ENACTS as follows:

1. Schedule "A" of the "White Rock Zoning Bylaw, 2012, No. 2000" as amended is further amended by removing Section 4.14.6 in its entirety and replacing the section with the following new section 4.14.6:

## "4.14.6 Accessible Parking:

## 1) Accessible Parking Dimensions:

- a) Accessible parking spaces shall have a minimum length of 5.5m and a minimum width of 2.5m.
- b) Van-accessible parking spaces shall have a minimum length of 5.5m and a minimum width of 3.4m.
- c) The access and egress route to and from accessible and van-accessible parking spaces must have a minimum vertical clearance of 2.3m.
- d) Accessible parking spaces and van-accessible parking spaces shall have an adjacent access aisle on one side with a minimum width of 1.5m that may be shared between two adjacent accessible and / or van-accessible parking spaces.
- e) A wheel stop shall be placed 0.6m from the end of each accessible and vanaccessible parking spaces.

## 2) Accessible Parking Supply:

a) Accessible and van-accessible parking spaces shall be provided in accordance with the following supply requirements:


Total Required	Minimum Required Van-Accessible	Minimum Required Accessible Spaces
Parking Spaces	Spaces	
5 or less	0	0
6 to 50	1	0
51 to 100	1	1
101 to 150	2	1
151 to 200	2	2
Over 200	5 plus 1 for every additional 100 required parking spaces or fraction thereof.	
	When the required accessible space supply is an even number there must	
	be an equal number of van-accessible spaces to standard accessible spaces.	
	When the required accessible space supply is an odd number there should	
	be one additional van-accessible space than standard accessible spaces.	


3) Accessible Parking Dimensions and Layout

The dimensions and layout of accessible parking shall comply with the following:


 For one accessible stall required, such a stall shall be van accessible and have the following dimensions:

OR






2. For two or more even number of accessible stalls required, the stalls shall be marked as:



2 stall requirement (repeat for additional pairs of stalls in same row)

For three or more odd number of accessible stalls required, a combination of requirements 1 and 2 shall be used and marked as:



2. This Bylaw may be cited for all purposes as the "White Rock Zoning Bylaw 2012, No. 2000,

Amendment (Accessible Parking Standards) Bylaw, 2	2020, No. 2371".
RECEIVED FIRST READING on the	day of
RECEIVED SECOND READING on the	day of
PUBLIC HEARING held on the	day of
RECEIVED THIRD READING on the	day of
RECONSIDERED AND FINALLY ADOPTED on	the day of
Mayor  ———————————————————————————————————	Corporate Administration
Director or	Corporate Administration