- "lot line" means the legal boundary of a lot that divides one lot from another, or that divides a lot from a road allowance or park dedication area.
- "lot line, exterior" means the *lot* line or lines, not being the *front* or *rear lot lines*, common to the *lot* and a *street*.
- "lot line, front" means the *lot* line common to the *lot* and an abutting *street* or where there is more than one *lot* line common to abutting *streets*, the shortest of these lines shall be considered as the *front lot line*.
- "lot line, rear" means the *lot* line opposite to and most distant from the *front lot line*, or, where the rear portion of the *lot* is bounded by intersecting side *lot* lines, shall be deemed to be the point of such intersection.
- "lot line, side" means a lot line other than a front or rear lot line.
- "lot width" means the horizontal distance of the front lot line between the side lot lines.
- "medical or dental clinic" means a *building* or part thereof where members of the medical profession including, but not limited to, dentists, chiropractors, osteopaths, optometrists, physicians or occupational therapists provide diagnosis and treatment to the general public without overnight accommodation, and may include reception areas, offices for consultation, treatment rooms, including x-ray and minor operating rooms, a pharmaceutical dispensary, and a coffee shop. A medical or dental clinic may also include a facility for removal of tattoo's/body art.
- "mixed-use building" means a *building* containing a combination of *residential uses* and non-residential uses, and any *accessory* uses thereto.
- "multi-unit residential use" means a building or part thereof which contains two (2) or more dwelling units, excluding secondary suites.
- "neighborhood convenience store" means the retail sale of convenience items, including food, tobacco, pharmaceuticals, periodicals, snack foods or other similar household convenience items.
- "off-street loading space" means an on-site parking space reserved for temporary parking for the purpose of loading or unloading of goods and materials.
- "off-street parking space" means a space for the parking of a vehicle either inside or outside of a building or structure, but does not include maneuvering aisles and other areas providing access to the space.

6.0 General Zones – Uses Permitted & Zone Provisions

6.1 RS-1 One Unit Residential Zone

The intent of this zone is to accommodate *one-unit* residential *buildings* on *lots* of 464 square metres (4,995 square feet) or larger.

6.1.1 Permitted Uses:

- 1) a *one-unit residential use* in conjunction with not more than one (1) of the following accessory uses:
 - a) an accessory child care centre in accordance with the provisions of Section 5.1.
 - b) an accessory boarding use in accordance with the provisions of Section 5.4.
 - c) an *accessory registered secondary suite* in accordance with the provisions of Section 5.5.
 - d) an accessory coach house in accordance with the provisions of Section 5.6.
 - e) an *accessory bed & breakfast use* in accordance with the provisions of Section 5.7
 - f) a short term rental in accordance with the provisions of Section 5.8.
- 2) an *accessory home occupation* in conjunction with a *one-unit residential use* and in accordance with the provisions of Section 5.3;
- 3) a care facility in accordance with the provisions of Section 5.1.
- 4) notwithstanding the above, on lots with less than the minimum required *lot area*, a one-unit residential use only is permitted.

6.1.2 Lot Size:

1) The minimum *lot width*, *lot depth* and *lot area* in the RS-1 zone are as follows:

Lot width	15.0m (49.2ft)
Lot depth	27.4m (89.9ft)
Lot area	464.0m ² (4,994.6ft ²)

6.1.3 Lot Coverage:

- 1) The maximum *lot coverage* is as follows:
 - a) 45% for lots with less than or equal to 696 square metres *lot area*;
 - b) 40% for lots with greater than 696 square metres lot area.

6.1.4 Floor Area:

- 1) maximum residential gross floor area shall not exceed 0.5 times the lot area.
- 2) maximum permitted floor area of a 2nd storey for a *principal building* shall not exceed 80% of the footprint for the 1st storey including attached garage and that portion of any covered porch, deck or carport. Notwithstanding, existing *principal buildings* constructed or issued a building permit prior to adoption of this bylaw are exempt from this requirement except for proposed major additions which increase the *residential gross floor area* by 50% or more.

3) notwithstanding any other provision in this bylaw, only one basement storey is permitted.

6.1.5 Building Heights:

- 1) principal buildings shall not exceed a height of 7.7m (25.26ft).
- 2) ancillary buildings containing an accessory coach house shall not exceed a height of 7.0m for a building with a minimum roof slope of 6:12, and shall not exceed a height of 6.0m for a building with any lesser roof slope.
- 3) ancillary buildings and structures shall not exceed a height of 5.0m.

6.1.6 Minimum Setback Requirements:

1) *principal buildings* and *ancillary buildings and structures* in the RS-1 zone shall be sited in accordance with the following minimum *setback* requirements:

Setback	Principal Building	Ancillary Buildings and Structures
Front lot line	7.5m (24.61ft)	Not permitted
Rear lot line	7.5m (24.61ft)	1.5m (4.92ft)
Rear lot line on a lot with an exterior side yard requirement of 7.5m, where the rear lot line abuts the interior side lot line of an adjacent residential lot	3.8m (12.47ft)	1.5m (4.92ft)
Interior side lot line	1.5m (4.92ft)	1.5m (4.92ft)
Interior side lot line (abutting a lane)	2.4m (7.87ft)	2.4m (7.87ft)
Exterior side lot line (where the rear lot line abuts a lane, or where the rear lot line abuts the rear lot line of an adjacent residential lot or abutting an interior or rear lot line for a commercial use)	3.8m (12.47ft)	3.8m (12.47ft)
Exterior side lot line (where the rear lot line abuts the interior side lot line of an adjacent residential lot)	7.5m (24.61ft)	7.5m (24.61ft)

6.1.7 Ancillary Buildings and Structures:

Except as otherwise provided in Section 4.13 and in addition to the provisions of subsections 6.1.5 and 6.1.6 above, the following also applies:

- 1) there shall be not more than one *ancillary building* per *lot*.
- 2) ancillary buildings and structures shall not be located in any required front yard or exterior side yard area.
- 3) *Ancillary buildings* and *structures* shall not be sited less than 3.0m from a *principal building* on the same *lot*.

6.1.8	Accessory off-street parking shall be provided in accordance with the provisions of Section 4.14.